



TAKE ON STRUCTURE FIRES, WILDLAND FIRES, AUTOMOBILE AND MEDIUM CLASS B SPILLS.

Husky 12 Capacities

Foam Concentrate %	0.3%	0.5%	1%	3%	6%
Husky 12 GPM (L/min)	4,000*	2,400*	1,200*	400	200
	(15,142)*	(9,085)*	(4,542)*	(1,514)	(757)

^{*}Maximum flow depends on maximum water pump and plumbing capacities.



Features

- Single or dual tank system.
- The Husky[™] 12 is designed to pump any Class A or Class B foam, even high-viscosity, alcohol-resistant Class B foams.
- Hydraulic drive powered to avoid heavy amp draw loads on the chassis electrical system (less than 5 amp).
- Single point, direct injection, flow based system using digital technology to indicate pump position & a flow meter.
- A 12 gpm foam pump provides capacity to handle structure, wildland, & automotive fires, as well as medium Class B spills.
- The system uses patented flow meter-based technology & is highly accurate over a wide range of pressures from 75 psi to 250 psi.
- The system is easy to operate, with just a 1-button operation required to create foam.
- 4.30" digital LCD screen that displays foam flow, water flow, foam percentage, foam used, water used, maintenance reminders, & diagnostics. The LCD screen also allows you to adjust pre-set foam percentages, calibrations, & foam tank defaults (on dual tank systems).
- Foam percentage is easily adjustable. Class A percentages are adjustable from 0.1 to 1 percent & Class B percentages are adjustable from 1 to 6 percent.
- Built-in flush system eliminates need to pick up clear water to flush the system.
- Auxiliary foam pickup allows use of another foam that is not stored in the foam tank &/or continued foam operation when foam is depleted out of the tank.
- A foam tank refill system is available to fill the foam tank(s) from the ground.

www.piercemfg.com



Pierce Manufacturing Inc., An Oshkosh Corporation Company P.O. Box 2017, Appleton WI 54912-2017 USA

Specifications, descriptions, and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment. All measurements are nominal values.

© Pierce Manufacturing Inc., Pierce and the Pierce logo are registered trademarks and Husky is a trademark of Pierce Manufacturing Inc., Appleton, WI.

Printed in U.S.A.